

ENERGY AND ENVIRONMENT CABINET

DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WASTE MANAGEMENT
200 FAIR OAKS, 2ND FLOOR
FRANKFORT, KY 40601
TELEPHONE NUMBER (502) 564-6716

Technical Application for a Contained Solid Waste Landfill DEP 7069-A (9/91)

GENERAL INSTRUCTIONS

- 1. APPLICABILITY This form must be complete and submitted to the Cabinet by persons requesting the issuance, renewal or transfer of a permit for a solid waste management facility pursuant to KRS 224.40-330.
- 2. ASSISTANCE Questions regarding this form may be directed in writing to the Division of Waste Management, Solid Waste Branch at the address listed above or by calling (502) 564-6716.
- 3. SUBMISSION Submit the original and three (3) copies of the completed application to the Division of Waste Management at the address listed above along with following plans: One set folded to 8 ½ inches by 11 inches; and two rolled sets. If an item cannot be answered, leave it blank. If an item does not appear to be applicable to your application, write "N/A" for "not applicable.".
- 4. FILING FEES Applicants must submit a \$5,000.00 filing fee at the time of application submittal in accordance with 401 KAR 47:090, Section 2(6)(a).
- 5. LAWS AND REGULATIONS Applicants are expected to understand and comply with all applicable laws and regulations.



- 6. Instructions for Engineering Drawings:
 - **a.** The cover sheet shall bear the professional engineers seal, original signature, and date in accordance with 401 KAR 47:190 Section 1.
 - **b.** The Division requires that the maximum plan sheet not exceed 24" x 36" as specified in 401 KAR 47: 180 Section 5(1) for executive summaries.
 - **c.** Each plan sheet should have a title block in the lower right corner. The title block should contain: sheet title, facility title, applicant name, address, and the engineering firm's name and address.
 - **d.** Each plan sheet should have a latest revision date block showing all revision dates in accordance with 401 KAR 47:160 Section 8(2)(b).
 - e. Each sheet shall have the appropriate scale to show all required detail in accordance with 401 KAR 47: 160 Section 8(2)(a).
 - f. The plan cover sheet shall include an index of plans, the facility name, county, and application number. Show each drawing title on the index of plans in accordance with 401 KAR 47:160Section 8(1)(b) and 8(2)(b). (The cabinet recommends the use of the page number system suggested in this application.)
 - **g.** Each set of plans shall include a legend of all drafting symbols used in accordance with 401 KAR 47: 160 Section 8(2)(b).
 - **h.** All lettering and drafting details shall be legible on reduced scale plans in accordance with 401 KAR 47:160 Section 8(2)(a).
 - i. Each plan sheet shall contain a common stationed straight baseline or offset baseline, a north arrow, and comply with 401 KAR 47:160 Section 8(2)(b) and 401 KAR 47:190 Section 2(2)(b)3.
 - **j.** Match lines should refer to the appropriate sheet numbers containing the other corresponding match line.
 - **k.** The plan sheets should clearly show the 1000 by 1000 foot grids referenced to an established site-specific bench mark in accordance with 401 KAR 47:160 Section 8(2)(f).
 - 1. Show survey grid locations and reference major plan sheets on all cross-sections as required by 401 KAR 47:160 Section 8(2)(h).

Statutes and regulations may be viewed online at the following website address: http://www.lrc.ky.gov/search.htm

Solid waste application forms are available at the following website address: http://www.waste.ky.gov/forms/



To assist you in the submittal of a complete and accurate application, the Division has identified the most common errors made in the review process. These errors are listed below for your convenience.

- 1. Failure to complete the application. All maps, attachments, and supplemental data must be submitted with this application.
- 2. Failure to provide complete and accurate legal documentation of any criminal or judicial findings may result in significant penalties for submitting false information, including the possibility of fine and imprisonment for such violations
- 3. Failure to properly sign and notarize the application. An individual with signature authority for the applicant as defined by KRS 224.01-010(44) and 401 KAR 47:160 must sign and notarize the appropriate signature sections of the application.
- 4. Failure to provide appropriate, fully completed attachments. Maps, drawings, narratives or any attachments that lack sufficient detail or drawings that are not signed, dated and sealed by a professional engineer or geologist may cause delays in the review and approval of the application.



Technical Application for a Contained Solid Waste Landfill

Table of Contents

Section Description	Page
General Information	
Design Plans	
Narrative	
Liner Design	
Construction Quality Control Plan	
Recordkeeping and Reporting	
Surface Water, Groundwater, and Corrective Action	
Closure, Closure Care and	
Performance Bond	
Public Notice	
Certification	



Technical Application for a Contained Solid Waste Landfill

Attachments

Number	Description	Page
1	Plans	
2	Water Quality Certification	
3	Floodplain Narrative	_
4	Surface Water & Sediment Pond Design	
5	Narrative of Design to Resist Seismic Events	
6	Stability Description	_
7	Waste Handling Area Description	
8	Equipment Description	
9	Equipment Maintenance Schedule	
10	Change in Amount of Soil Required to Meet Design	
11	Facilities Description	
12	Explosive Gas Monitoring Program	
13	Road Design Narrative	
14	Safety and Communication Plan	
15	Scales	
16	Leachate Storage Tanks	
17	Waste Inspection	
18	Public Access Control	_



19	Water Controls Maintenance	
20	Working Face Procedures	
21	Bottom Liner Specifications	
22	Construction Quality Control Plan	
23	Recordkeeping System	
24	Surface Water Monitoring Locations	
25	Groundwater Monitoring Plan	
26	Closure Cap Specifications	
27	Closure Plan Narrative	
28	Closure Care or Post Closure Activities	
29	Closure Cost Estimate	
30	Closure Care Post Closure Cost Estimate	
31	Public Notice	
32	Public Notice	



Technical Application for a Contained Solid Waste Landfill

Applicant Information

1. Application #:			2. Fee Attached	l: 🗌	3. F	Fee Amor	unt:		
4. Permittee Nan (This refers to the		ration, L	LC, business, person, g	governme	ent agen	cy, etc., tha	t owns or o	perates th	ne facility.)
5. Permittee Mai	ling .	Addre	ss:						
6. City:					7. S	tate:	8. Zi _l	Code	;
9. Contact Person	n:				10. T	itle:			
11. E-Mail Addre	ess:								
12. Phone #: ()	-	13. Cell #: ()	-	14. Fa	x #: ()	-
	De	sign	Plans (401 k	KAR	47: 1	90 Sec	ction 2	<u>2)</u>	

- **15**. Submit 3 copies of the plans showing the design of the site. Label as **Attachment 1**. Refer to the detailed administrative instructions for the engineering drawings. Number the drawings as follows:
- **a.** A drawing of the entire site on one sheet showing:
 - 1. Current site conditions
 - 2. Site development plan including buffer zones
 - 3. Location of monitoring points for:
 - a. Surface Water
 - b. Ground Water
 - c. Methane; and
 - d. Baselines
- **b.** Site plans drawn to 1 inch = 100 feet (or Cabinet-approved alternative scale) showing:
 - 1. Development Plan
 - 2. Location of monitoring points
 - 3. Baseline or off-set baseline
- **c.** Cross-Sections at:
 - 1. 100 Foot intervals
 - 2. Vertical scale of 1 inch = 10 feet
 - 3. Horizontal scale of 1 inch = 100 feet



- d. Drawing of the profile along each baseline.
- e. Proper site development including the sequence of filling (i.e. units, phases, working areas).
- f. Construction details
- g. Include typical details for the following features of the cell:
 - 1. Lifts
 - 2. Liners
 - 3. Daily Cover
 - 4. Interim Cover
 - 5. Long Term Cover
 - 6. Final Cover

16. Show the applicable items on the appropriate drawings:

Item	Drawing Number	Requirement
Proposed & Final Surface Contours	1 & 2	48:070 Section 2(2)
Run-On Ditches	2 & 6	48:070 Section 2(3)
Run-Off Ditches	2 & 6	48:070 Section 2(3)
Sediment Basin	2 & 6	48:070 Section 2(4)
Separate Area to Unload Burning Wastes	2	48:070 Section 5(1)
Area to Unload Pick-Up Truck and Automobile Transported Waste	2	48:070 Section 5(2)
Area for Recycling or Salvageable Materials	2	48:070 Section 5(3)
Borrow Areas	2 & 5	48:070 Section 8
Personnel Facilities	2	48:070 Section 9(1)
Equipment Maintenance Facilities	2	48:070 Section 9(2)
Road from Publicly Maintained Highways	2	48:070 Section 11(1) & 11(6)
All-Weather Perimeter Road	1	48:070 Section 11(2)
Location of Scales	2	48:070 Section 13
Leachate Storage Tank Design	2 & 6	48:070 Section 14
Access Control	2 & 6	48:090 Section 6



Temporary Diversion Ditch 6 Working Face (Typical Detail)	2 & 6	48:090 Section 7 (2)(c)Around
Sign(s) Location	2 & 6	48:090 Section 14

Narrative (401 KAR 47:190 Section 3)

17. a. Will waste be placed within 250 feet of an intermittent or perennial stream?
□Yes □ No
b. If yes, enclose the 401 Water quality certification that has been issued pursuant to 401 KAR 5:029 through 5:031. Label as Attachment 2 (401 KAR 48:050 Section 1(1).
18 . Provide the information requested in 401 KAR 48:050 Section 1(2)-(7) by checking the appropriate box. Is the waste disposal area within:
a. The zone of collapse of deep-mine workings or within the critical angle of draw?
□Yes □ No
b. 250 feet of a karst Terrain feature? Yes No
c. 250 feet of the property line? Tyes No
d. 250 feet of a residence? Yes No
e. 50 feet of a gas, sewer, or water line? Yes No
f. 250 feet of an unplugged well (other than monitoring)? Yes No
19. Is the depth to the seasonal high groundwater table to the bottom of the liner system (or the waste for those residual landfills without liners) four feet or greater? Yes No
20. a. Is this proposed site located in the 100 year floodplain? Yes No
b. If yes, enclose a report describing how you will meet Section 2 of 401 KAR 47:030 concerning floodplains. Label as Attachment 3 . (401 KAR 48:050 Section 3)
21. a. Would the waste boundary be within 5,000 feet of a runaway used by only piston-type aircraft? Yes No
b. If the answer to (a) is yes, would the waste boundary be within 10,000 feet of any airport runway used by turbo jet aircraft? Yes No
22. Is any proposed waste cell within 200 feet of a fault that has had displacement in holocen time? Yes No



23. Enclose as Attachment 4, a description of the surface water control items.

Item	Requirement
Typical Run-On and Run-Off Ditch Design Calculations passing a 100 year/24 hour	48:060 Section 1(1) (b)
Sediment Basin	48:060 Section 1(1) (c)

24. a.	Is the proposed	site located withi	n a seismic impact	zone? Yes	☐ No
--------	-----------------	--------------------	--------------------	-----------	------

- **b.** If the answer to 9(a) is yes, state the maximum anticipated horizontal acceleration in lithified material for the site:
- **c.** If the answer to 9(a) is yes, enclose a narrative describing how the design resists the acceleration above for the following items:
 - 1. Containment structures
 - 2. Liners
 - 3. Leachate collection systems
 - 4. Surface water control systems

Label as **Attachment 5**, Refer to 401 KAR 48:070 Section 3.

- 25. a. Describe the proposed site area as stable or unstable based on the following factors:
 - 1. On-site or local soil conditions that may result in significant differential settling;
 - 2. On-site or local geologic or geomorphlogic features;
 - 3. On-site or local man-made features:
 - a. Surface
 - b. Sub-surface
 - **b.** If the site is described as unstable, describe the engineering measures to ensure the stability of:
 - 1. Liners
 - 2. Leachate collection systems
 - 3. Final cover
 - 4. Run-on and run-off systems
 - 5. Other components necessary for the protection of human health and the environment

Label as Attachment 6. (Refer to 401 KAR 48:070 Section 4.)



26. Describe, in **Attachment 7**, the following required separate areas and procedures to allow the safe handling of certain wastes:

Area	Requirements
Burning Wastes	48:070 Section 5(1)
Wastes from Pick-Up Trucks and Automobiles	48:070 Section 5(2)
Salvageable or Recyclable Materials	48:070 Section 5(3)

- 27. Complete the tables in **Attachment 8**, regarding equipment information. The listed equipment must comply with 48:070 Section 6.
- 28. Enclose the proposed recordkeeping forms for operation and maintenance of the equipment. Label as Attachment 9. Refer to 401 KAR 48:070 Section 6(8).
- 29. Describe any changes to the amount of soil required for the proposed design liner, cap cover, and other cover design since the approval of the Administrative Application as required by 48:070 Section 8. Label as **Attachment 10**.
- **30**. Describe, in **Attachment 11**, the following facilities required for the corresponding type of landfill:

Facility	Requirement
Employee	48:070 Section 9(1)
Equipment Maintenance	48:070 Section 9(2)

- 31. Describe, in **Attachment 12**, the explosive gas monitoring program as required by 48:070 Section 10. Applicants must describe the potential for gas emissions and odors based on the waste characteristics and the proposed landfill design.
- 32. Describe, in Attachment 13, the following roads for the corresponding type of landfill:

Item	Requirement
Internal Road Design	48:070 Section 11(3)
Traffic Loading & Storage	48:070 Section 11(5) & 11(6)

33. Describe, in **Attachment 14**, the landfill safety and communication plan as required by 48:070 Section 12.



34. Provide a description of scales to weigh all incoming wastes as required by 401 KAR 48:070 Section 13. Label as **Attachment 15**.

- 35. Include, in Attachment 16, a description of the leachate collection system, storage, treatment removal as required by 48:070 Section 14. Also, complete the information required by Attachment 16A regarding the leachate collection system.
- **36.** Provide in **Attachment 17**, the procedure to inspect and restrict the disposal of unauthorized waste as required by 48:090 Section 2.
- **37.** Describe, in **Attachment 18**, the procedures to control access by the public as required by 48:090 Section 6.
- **38**. Specify in **Attachment 19**, the following information for maintenance of surface water controls as required by 401 KAR 48:090 Section 7(2):
 - a. Method and frequency to remove sediment, debris, wastes and soil from run-off control structures, to maintain design capacity
 - b. Construction, maintenance and recording of temporary diversion ditches around the working face. Include:
 - 1. typical design calculation
 - 2. method of recording location on an engineering drawing
 - 3. general placement instructions to operator
- **39.** Describe, in **Attachment 20**, how the applicant will comply with the working face requirements required by 48:090 Section 9.
- **40**. Complete the information requested below for placement on the landfill sign at the landfill entrance as required by 48:090 Section 14:
 - a. Landfill Name:
 - b. Name of Owner:
 - c. Name of Operator:
 - d. Hours to Receive Waste : to
 - e. Days to Receive Waste to
 - f. Permit Number (To be assigned by Division upon Permit Issuance):
 - g. Emergency Telephone Number ()



Liner Design (401 KAR 47:190 Section 7)

41. Submit, as **Attachment 21**, the design specifications for the bottom liner as required by 48:080 Sections 1-7, 10.

Construction Quality Control Plan (401 KAR 47:190 Section 6)

42. Describe, in **Attachment 22**, the Construction Quality Control (CQC) Plan as required by 48:080 Section 3(3), 4(3) and 5(3).

Recordkeeping and Reporting (KAR 47:190 Section 8)

43. Enclose, as **Attachment 23**, the landfill recordkeeping and reporting system as required by 401 KAR 47:190 Section 8. The applicant may use the record keeping forms provided by the Cabinet or submit a different form for review by the Cabinet.

Surface Water, Groundwater, and Corrective Action (401 KAR 47:190 Section 5)

- **44**. Submit, as **Attachment 24**, the Surface Water Monitoring Plan in accordance with 401 KAR 48:300 Section 2. At a minimum, the plan must include:
 - a. The proposed locations of the monitoring points shown on the site plans.
 - b. A written description of how the monitoring point locations ensure that sampling will characterize the quality of the water unaffected by the landfill, as well as determining if water leaving the landfill as surface drainage is contaminated with leachate.
 - c. A description of sampling protocol and analytical methods to be used.
 - d. A monitoring schedule and list of analytical parameters as required by 401 KAR 48:300 Section 2(3).
 - e. A sample form for reporting results of the analyses to the Division.
 - f. Documentation that the applicant currently holds or has applied for a K.P.D.E.S. permit for all structures to be used to control storm water run-off and all point source discharges.
 - g. Provide the information requested in Attachment 24A, concerning location of the monitoring points.



45. Submit, as **Attachment 25**, a Groundwater Monitoring Plan that meets the requirements of 401 KAR 48:300. At a minimum that plan must provide the following information:

- a. A list and description of the specific aquifer(s) proposed for monitoring.
- b. The number, location, and depth of proposed monitoring points. Show the locations of the monitoring points on the site plans.
- c. Provide a brief discussion of the groundwater quality that currently exists based on the Groundwater Quality Characterization required by 401 KAR 47:180.
- d. Provide a Groundwater Sampling and Analysis Plan which describes the procedures and techniques designed to accurately measure groundwater quality up-gradient and down- gradient of the waste disposal area. Include a discussion regarding the chain of custody, as well as field and lab quality assurance and quality control. This plan must meet the requirements of 401 KAR 48:300 section 4(3).
- e. Provide a monitoring schedule and list of analytical parameters in accordance with 401 KAR 48:300 Section 11.
- f. Provide monitoring well construction specifications which meet the requirements of 401 KAR 48:300 Section 6.
- g. Is the proposed solid waste disposal site located in karst terrain? Yes No

If yes, the groundwater monitoring plan must meet the requirements of 401 KAR 48:300 Section 4(4), including dye trace studies to determine the nature and extent of karst drainage beneath the site and proposed monitoring locations.

h. Provide the information requested in Attachment 25A, concerning proposed well location and depth.

Closure Care 401 KAR 47:190 Section (4)

- **46**. Submit, as **Attachment 26**, the specifications of the closure cap as required by 48:080 Section 8, 9, 10 and 11.
- **47**. Submit, as **Attachment 27**, the closure plan narrative for 2 years as required by 48:070 Section 15(2) and Section 13(1).
- **48**. Describe, in **Attachment 28**, the closure care maintenance for 30 years as required by 48:090 Section 13(2).
- **49**. Describe, in **Attachment 29**, the closure cost estimate based on the elements listed in 401 KAR 48:310 Section 2.



50. Describe, in **Attachment 30**, the closure-care or post-closure cost estimate based on the elements listed in 401 KAR 48:310 Section 3.

Public Notice

- 51. Complete the public notice form in **Attachment 31A or 31B** which complies with 401 KAR 47:140 Section 12(3)(a) and KRS 224.40-310. These mandates require public notice when the review of the technical portion of the application begins. Only those applicants notified by correspondence from the Cabinet may publish the public notice.
- 52. Complete the public notice form in Attachment 32A or 32B which complies with 401 KAR 47:140 Section 12(4) and KRS 224.855. These mandates require public notice if the Cabinet makes a preliminary determination to issue the permit and has prepared a draft document. Only those applicants notified by correspondence from the cabinet may publish the public notice.



Certification

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for such violations."

Name of Per	rson Signing (type or print):		
Title of Pers	on Signing:	Γ	Oate:
Signature pe	er 401 KAR 47:160:		
Subscribed a	and sworn to before me this	day of	, Year 20
Notary Publ	ic Signature:		
State of	County of	My commission expires:	



Attachment 8A Waste Handling Equipment

-		DESCRIPTION	DESCRIPTION (Compactor #1,
SPECIFICATON	SPECIFICATION	(Dozer #1, etc)	etc)
ТҮРЕ	_		
MAKE			
MODEL	_		
YEAR			
GROSS WEIGHT	_		
WHEEL WIDTH			
WHEEL WEIGHT			
(LBS/IN.)			
MAXIMUM HOURLY			_
CAPACITY			_
(TONS/HR)			
PRIMARY OR BACKUP			
CONDITION	_		
ENGINE HORSEPOWER			
REMARKS			

For additional equipment, reproduce this page and complete for all required equipment



Attachment 8A Earthmoving Equipment

SPECIFICATION	SPECIFICATION	DESCRIPTION (Dozer #1, etc)	DESCRIPTION (Pan #1, etc)
		(= ==== : = ; ===)	(2 332 // 2, 000)
ТҮРЕ			_
MAKE			
MODEL			
YEAR			
ENGINE HORSEPOWER			
HAULING CAPACITY			
(TONS/HOUR)			
CONDITION			
MAXIMUM HOURLY			
CAPACITY			
(TONS/HR)			
PRIMARY USE			
SECONDARY USE			
REMARKS			

For additional equipment, reproduce this page and complete for all required equipment



Attachment 16A

Provide the estimated leachate volume produced by each landfill area and the method utilized for the calculation.

DESCRIPTION	AREA	AREA	AREA	AREA	AREA
BEOOKII HON	ANLA	ARLA	ARLA	ANLA	ANLA_
LEACHATE SYSTEM					
ELACHATE STSTEW					<u> </u>
HORIZONTAL SURFACE AREA					
MAXIMUM LEACHATE PRODUCED					
DURING OPERATION					
(GALLONS/DAY)					
MAXIMUM LONG TERM COVERING					
(GALLONS/DAY)					
(GILLEONS/DITT)					
MANIMUM FINIAL COVED					
MAXIMUM FINAL COVER (GALLONS/DAY)					
(GALLONS/DAT)					
COLLECTION TANK CAPACITY					
(GALLONS)					
FREQUENCY OF LEACHATE					
REMOVAL					
WASTEWATER TREATMENT					
PLANT NAME					

Describe method of calculation:

If more space is needed, reproduce this page or attach extra sheets of paper.



Attachment 24A Surface Water Monitoring Plan

MONITORING STATION I.D.	LOCATION DESCRIPTION	LATITUDE	LONGITUDE		
		_			
	_				



Attachment 25A Groundwater Monitoring Well Location and Depth

Provide the information requested in the chart below:

Item	MONITORING STATION I.D.				
LATITUDE					
LONGITUDE					
STATION TYPE (WELL OR SPRING)					
(WELL OK SI KING)					
AQUIFER			_		
ELEVATION OF SPRING					
OR TOP OF WELL CASING					
Crishio	_		_		
DEPTH OF WELL					
DEPTH OF WATER					



Attachment 31A

PUBLIC NOTICE

- 1. Fill in all blanks.
- 2. Submit this notice for publication to a newspaper of general circulation in the county where the proposed waste management facility will be located.
- 3. Inform the newspaper that the public notice shall be of a size to include not less than two (2) column widths for advertising and shall be in a display format.
- 4. Request a tear sheet and affidavit of publication from the newspaper publishing the notice. The tear sheet and affidavit must be submitted to the Division of Waste Management along with your completed application.

PUBLIC NOTICE

has submitted an application for a waste management facility to the Energy and Environment Cabinet, Division of Waste Management, pursuant to 401 KAR 47:110 and it has been determined to be administratively complete.

The proposed facility will: (description of business conducted)

The proposed facility will be located at the following address: (facility name)

(facility address) (city, state, zip).

For questions regarding this proposed facility, contact: (facility owner or operator) at

(phone number including area code).

An executive summary describing the permit applicant's proposal is available for public

review at the office of , County Judge Executive of county Monday through

Friday, 9:00A.M. - 3:00P.M. except for official state holidays.

Questions concerning the application process for registered permits-by-rule can be directed to:

Energy and Environment Cabinet

Division of Waste Management

200 Fair Oaks Lane,

Frankfort, KY 40601,

(502) 564-6716.



Attachment 31B

PUBLIC NOTICE

- 1. Fill in all blanks.
- 2. Submit this notice for publication to a newspaper of general circulation in the county where the proposed waste management facility will be located.
- 3. Inform the newspaper that the public notice shall be of a size to include not less than two (2) column widths for advertising and shall be in a display format.
- 4. Request a tear sheet and affidavit of publication from the newspaper publishing the notice. The tear sheet and affidavit must be submitted to the Division of Waste Management along with your completed application..

PUBLIC NOTICE

has submitted an application for an expansion of a waste management facility to the Energy and Environment Cabinet, Division of Waste Management, pursuant to 401 KAR

47:110.. The proposed facility will:

(description of business conducted)

The proposed facility will be located at the following address:

(facility name)

(facility address) (city, state, zip).

For questions regarding this proposed facility, contact:

(facility owner or operator) at

(phone number including area code).

An executive summary describing the permit applicant's proposal is available for public

review at the office of

, County Judge Executive of

county Monday through

Friday, 9:00A.M. – 3:00P.M. except for official state holidays.

Questions concerning the application process for registered permits-by-rule can be directed to:

Energy and Environment Cabinet
Division of Waste Management
200 Fair Oaks Lane,
Frankfort, KY 40601,
(502) 564-6716.



Attachment 32A

PUBLIC NOTICE

- 1. Fill in all blanks.
- 2. Submit this notice for publication to a newspaper of general circulation in the county where the proposed waste management facility will be located.
- 3. Inform the newspaper that the public notice shall be of a size to include not less than two (2) column widths for advertising and shall be in a display format.
- 4. Request a tear sheet and affidavit of publication from the newspaper publishing the notice. The tear sheet and affidavit must be submitted to the Division of Waste Management along with your completed application.

PUBLIC NOTICE

The Energy and Environment Cabinet, Division of Waste Management has made a preliminary determination to issue a permit for a contained solid waste management facility

The proposed facility will: (description of business conducted)

The proposed facility will be located at the following address: (facility name) (facility address) (city, state, zip).

For questions regarding this proposed facility, contact: (facility owner or operator) at (phone number including area code).

An proposed permit, fact sheet and application (administrative record) is available for public review at the office of , County Judge Executive of county Monday through Friday, 9:00A.M. – 3:00P.M. except for official state holidays. All data submitted by the applicant are available as part of the administrative record.

Questions concerning the application process for registered permits-by-rule can be directed to:

Energy and Environment Cabinet
Division of Waste Management
200 Fair Oaks Lane,
Frankfort, KY 40601,
(502) 564-6716.



Any person who may be aggrieved by the issuance of a permit for this proposed waste facility may file with the Cabinet a petition which sets for the grounds of the objection and demands a hearing pursuant to KRS 224.10-420.

Any comments objections or petition requests for a hearing pursuant to KRS 224.081(2) must be filed with the Director of the Division of Waste Management, 200 Fair Oaks Lane, Frankfort, KY 40601 within thirty (30) days of today's date.



Attachment 32B

PUBLIC NOTICE

- 1. Fill in all blanks.
- 2. Submit this notice for publication to a newspaper of general circulation in the county where the proposed waste management facility will be located.
- 3. Inform the newspaper that the public notice shall be of a size to include not less than two (2) column widths for advertising and shall be in a display format.
- 4. Request a tear sheet and affidavit of publication from the newspaper publishing the notice. The tear sheet and affidavit must be submitted to the Division of Waste Management along with your completed application.

PUBLIC NOTICE

The Energy and Environment Cabinet, Division of Waste Management has made a preliminary determination to issue a permit for an expansion of a contained solid waste management facility. The proposed facility will: (description of business conducted)

The proposed facility will be located at the following address: (facility name)

(facility address) (city, state, zip).

For questions regarding this proposed facility, contact: (facility owner or operator) at (phone number including area code).

An proposed permit, fact sheet and application (administrative record) is available for public review at the office of , County Judge Executive of county Monday through Friday, 9:00A.M. – 3:00P.M. except for official state holidays. All data submitted by the applicant are available as part of the administrative record.

Questions concerning the application process for registered permits-by-rule can be directed to:

Energy and Environment Cabinet
Division of Waste Management
200 Fair Oaks Lane,
Frankfort, KY 40601,
(502) 564-6716.



Any person who may be aggrieved by the issuance of a permit for this proposed waste facility may file with the Cabinet a petition which sets for the grounds of the objection and demands a hearing pursuant to KRS 224.10-420.

Any comments objections or petition requests for a hearing pursuant to KRS 224.081(2) must be filed with the Director of the Division of Waste Management, 200 Fair Oaks Lane, Frankfort, KY 40601 within thirty (30) days of today's date.

